


- LEGEND**
- AREAS FOR PLACEMENT OF WISDOT CLASS I TYPE B EROSION CONTROL AND VEGETATION MAT (ECRM). (INSTALLED BY CONTRACTOR)
 - AREAS WHERE SEDIMENTATION FENCE WILL BE INSTALLED BY OWNER (SEE NOTE 4) (TO BE REINFORCED WITH CURLEX TYPE III (9" DIA.))
 - STONE TRACKING PAD (INSTALLED BY CONTRACTOR)
 - SEDIMENT EROSION CONTROL LOGS WILL BE INSTALLED BY OWNER (SEE NOTE 4) (CULREX TYPE 1 (20" DIA.) PLACED IN SWALES)

- NOTES**
1. UNDER NO CONDITIONS WILL TREES BE REMOVED WITHOUT PRIOR APPROVAL FROM THE OWNER/ENGINEER.
 2. UNDER NO CONDITIONS WILL CONSTRUCTION ACTIVITIES TAKE PLACE OUTSIDE THE SEDIMENTATION FENCE AREA.
 3. UNDER NO CONDITIONS WILL CONSTRUCTION ACTIVITIES TAKE PLACE OUTSIDE THE LIMITS OF CONSTRUCTION BOUNDARY WITHOUT PRIOR APPROVAL FROM THE OWNER/ENGINEER.
 4. CONTRACTOR TO SEED, FERTILIZE AND MULCH SOIL STOCKPILES IMMEDIATELY AFTER PLACEMENT OF TOPSOIL AT FINAL FINISHED GRADES.
 5. SOIL STOCKPILES ARE TO BE CONSTRUCTED USING MAXIMUM 5-FOOT HIGH LIFTS. THE SIDE SLOPES (EXCEPT THE ACCESS POINT FOR THE NEXT LIFT) SHALL BE SEEDED AND MATTED IMMEDIATELY UPON THE COMPLETION OF EACH LIFT.
 6. INFORMATION RELATED TO LOCATIONS AND TYPES OF EROSION CONTROL FEATURES PROVIDED BY DANE COUNTY.

- EROSION AND SEDIMENT CONTROL NOTES**
1. EROSION AND SEDIMENT CONTROL PRACTICES MUST BE INSTALLED PRIOR TO COMMENCING LAND DISTURBING ACTIVITIES.
 2. AMERICAN EXCELSIOR CURLEX SEDIMENT LOG (20" DIA.) TO BE PLACED IN ALL SWALES AND CHANNELS RECEIVING RUNOFF FROM DISTURBED AREAS. MAXIMUM SPACING OF 100' BETWEEN LOGS.
 3. SILT FENCE TO BE PLACED AT LOCATIONS SHOWN ON THIS SHEET, AS NOTED, AND REINFORCED WITH AMERICAN EXCELSIOR CURLEX SEDIMENT LOG (9" DIA.).
 4. STONE WEEPERS, CONSTRUCTED OF 3" DIA. CLEAR STONE, TO BE PLACED AT ALL CULVERTS AT ALL CULVERT INLETS RECEIVING RUNOFF FROM DISTURBED AREAS.
 5. A STONE TRACKING PAD MUST BE INSTALLED AND MAINTAINED AT THE SITE ENTRANCE/EGRESS AT HWY AB.
 6. ADDITIONAL EROSION AND SEDIMENT CONTROL MEASURES MAY BE NEEDED AND SHALL BE INSTALLED AS DIRECTED BY COUNTY STAFF




NOTE: THE CONTRACTOR SHALL NOTIFY ALL AREA UTILITY COMPANIES PRIOR TO COMMENCING WORK ON THIS CONTRACT, IN ACCORDANCE WITH STATE AND LOCAL REQUIREMENTS.

NOTE: THESE PLANS ARE ACCOMPANIED BY A PROJECT MANUAL OF THE SAME TITLE. THESE DOCUMENTS ARE INTERRELATED AND ARE INTENDED TO BE USED TOGETHER.

NO.	BY	DATE	REVISION	APP'D.
PROJECT: DANE COUNTY NO. 2 (RODEFELD) LANDFILL PHASE 10 - CELL 2 LINER CONSTRUCTION DANE COUNTY, WISCONSIN				
TITLE: EROSION CONTROL / SITE RESTORATION PLAN				
DRAWN BY: RNOLDEN		PROJ. NO.: 250205.0000.0000.00002		
CHECKED BY: DM				
APPROVED BY: DRG		SHEET 10 OF 11		
DATE: JUNE 2016				
		708 Heartland Trail Suite 3000 Madison, WI 53717 Phone: 608.826.3600		
FILE NO.: 250205.SHT10-SR.dwg				


DRAWING NAME: JUDSON COUNTY LFC20205 - PU-C2 LINDENWOOD 250205 SHT 10 SR.dwg - PLOT DATE: JUN 02 2016 - 12:29PM - LAYOUT SHEET 10
 DRAWING NO.: 250205
 PROJECT NO.: 250205.0000.0000.00002
 SHEET NO.: 10 OF 11
 DATE: JUN 02 2016
 TIME: 12:29 PM
 USER: DRG
 PLOTTER: HP DesignJet T1100e




NOTES:

1. AVOID JOINTS IN GEOTEXTILE. IF A JOINT IS NECESSARY USE ONE OF THE FOLLOWING TWO METHODS: A) OVERLAP THE END POSTS AND TWIST, OR ROTATE AT LEAST 180 DEGREES, B) HOOK THE END OF EACH SILT FENCE UPWARD TOWARD SURFACE WATER FLOW DIRECTION. SEE DETAIL 6 ON THIS PLAN SHEET.
2. POST SPACING 2- FEET IF NON-WOVEN GEOTEXTILE IS USED AND 8- FEET IF WOVEN GEOTEXTILE IS USED.
3. GEOTEXTILE SHALL MEET THE REQUIREMENTS SPECIFIED IN THE PROJECT MANUAL.


CROSS SECTION VIEW



PLAN VIEW




SOIL STOCKPILE CROSS SECTION



NOTE:

1. INSTALLED HEIGHT IS MEASURED FROM THE UPSLOPE GROUND SURFACE TO THE TOP OF THE PRODUCT. DUE TO SETTLEMENT AND/OR DEFORMATION, THE INSTALLED HEIGHT MAY NOT BE EQUIVALENT TO THE NOMINAL DIAMETER OF THE PRODUCT.

CROSS SECTION




NOTES:

1. J-HOOKS SHALL BE INSTALLED SO THAT THE GROUND-PRODUCT INTERFACE ELEVATION AT LOCATION B IS HIGHER THAN THE TOP OF PRODUCT ELEVATION AT LOCATION A TO CREATE A WEIR AT POINT A.
2. J-HOOKS SHALL BE INSTALLED EVERY 2 VERTICAL FEET OF DROP ALONG THE LENGTH OF INSTALLATION.
3. STAKE OVERLAP AS REQUIRED BY MANUFACTURER.

SLOPING INSTALLATION

(PLAN VIEW)




JOINING TWO LENGTHS OF SILT FENCE


1
11

EROSION CONTROL FENCE

(NOT TO SCALE)



SECTION A-A'



2
11


STONE TRACKING PAD

(NOT TO SCALE)

4
11

DOWNSLOPE FLUME INLET DETAIL

(NOT TO SCALE)



SEDIMENT EROSION CONTROL LOGS

(NOT TO SCALE)

LINE AND SHADING LEGEND

60 MIL. HDPE GEOMEMBRANE	GEOCOMPOSITE
GEOTEXTILE	
TOPSOIL	NATIVE SOIL
GENERAL FILL	CONCRETE
SELECT GRANULAR FILL	RIPRAP
BARRIER LAYER FINE GRADED SOIL	BITUMINOUS PAVING
SELECT AGGREGATE FILL	SELECT FOUNDRY BYPRODUCT
COMPACTED SELECT CLAY FILL	

NOTE: THE CONTRACTOR SHALL NOTIFY ALL AREA UTILITY COMPANIES PRIOR TO COMMENCING WORK ON THIS CONTRACT, IN ACCORDANCE WITH STATE AND LOCAL REQUIREMENTS.

NOTE: THESE PLANS ARE ACCOMPANIED BY A PROJECT MANUAL OF THE SAME TITLE. THESE DOCUMENTS ARE INTERRELATED AND ARE INTENDED TO BE USED TOGETHER.

NO.	BY	DATE	REVISION	APP'D.

PROJECT: **DANE COUNTY NO. 2 (RODEFELD) LANDFILL PHASE 10 - CELL 2 LINER CONSTRUCTION DANES COUNTY, WISCONSIN**

TITLE: **DETAILS - EROSION CONTROL**

DRAWN BY: RNOLDEN	PROJ. NO.: 250205.0000.0000.00002
CHECKED BY: DM	SHEET 11 OF 11
APPROVED BY: DRG	
DATE: JUNE 2016	

TRC 708 Heartland Trail Suite 3000 Madison, WI 53717 Phone: 608.826.3600

FILE NO.: 250205.SHT11-DT.dwg

FILE: c:\projects\1111111111\1111111111.dwg PLOTTED: 03/16/2016 12:28PM LAYOUT: SHEET 11
 DRAWING NAME: J:\Dane County\15292025 - P10-C2 Liner\0002-250205.SHT11-DT.dwg PLOT DATE: June 03, 2016 12:28PM LAYOUT: SHEET 11