



**DANE COUNTY DEPT. OF
PUBLIC WORKS, HIGHWAY &
TRANSPORTATION**

1919 Alliant Energy Center Way
Madison, Wisconsin 53713
Office: 608/266-4018 ♦ Fax: 608/267-1533
Public Works Engineering Division

ADDENDUM

July 1, 2019

ATTENTION ALL REQUEST FOR BID (RFB) HOLDERS

RFB NO. 318045 - ADDENDUM NO. 2

JOB CENTER RESTROOM EXPANSION (REBID)

**BIDS DUE: TUESDAY, JULY 9, 2019, 2:00 PM. DUE DATE AND
TIME ARE NOT CHANGED BY THIS ADDENDUM.**

This Addendum is issued to modify, explain or clarify the original Request for Bid (RFB) and is hereby made a part of the RFB. **Acknowledge this addendum on the Bid Form.**

CHANGES TO BIDDING REQUIREMENTS:

None

CHANGES TO SPECIFICATIONS:

1. Table of Contents
 - a. Add Specification Section 09 84 13 Acoustical Treatment to the Table of Contents.
2. 10 21 13 Toilet Compartments
 - a. Page 2, 2.01 B. line 20 add: "3. ASI Accurate Partitions, Ultimate Privacy"
 - b. Page 2, 2.02 C. line 40 add to the end of item 1: "Adjustable or doors to be in the closed position for outswing compartments in the rest position. Inswing doors shall remain open at 20 degrees in rest position."

CHANGES TO DRAWINGS:

1. A2.1 Partial First Floor Plans, Reflected Ceiling Plans and Finish Plans
 - a. Demolition Notes. Add to the end of Demolition Note 12: "Existing construction is assumed to be a 4" slab on grade on vapor retarder, field verify."
 - b. General Notes. Add to the end of General Note 8: "Thickness of existing concrete slab is assumed to be 4", field verify to match. Install 4" slab on grade 4000 psi 28 day strength on minimum 10 mil vapor barrier."

Enclosures: None